

----- POPULATION ESTIMATES -----				----- LONG-TERM CARE -----		----- LOCAL HEALTH DEPARTMENTS -----		
Total 2001 Population				Community Options and MA Waiver Programs		Per 10,000 Population		
Population per square mile				Clients		Staffing - FTE	Number	
County ranking in state ( 1-72)				Costs		Total staff	6	2.4
52				COP	33	\$160,013	Administrative	1
Age	Female	Male	Total	MA Waiver *			Professional staff	4
0-14	2,500	2,600	5,100	CIP1A	2	\$112,269	Technical/Paraprof.	.
15-19	820	870	1,690	CIP1B	34	\$539,369	Support staff	1
20-24	460	530	990	CIP2	6	\$78,374		0.4
25-29	650	620	1,270	COP-W	27	\$164,615	Funding	Per capita
30-34	840	820	1,660	CSLA	.	\$0	Total	\$383,256
35-39	1,040	1,050	2,090	Brain Injury	.	\$0	Local Taxes	\$156,615
40-44	1,000	1,020	2,020	Total COP/Wvrs	76	\$1,054,639		\$16.68
45-54	1,590	1,740	3,330					\$6.82
55-64	950	930	1,880	\$76,237 of the above waiver costs		----- LICENSED ESTABLISHMENTS -----		
65-74	840	750	1,590	were paid as local match/overmatch		Type	Capacity	Facilities
75-84	640	480	1,120	using COP funds. This amount is		Bed & Breakfast	35	12
85+	250	120	380	not included in above COP costs.		Camps	635	11
Total	11,600	11,520	23,120	* Waiver costs reported here		Hotels, Motels	570	15
Age	Female	Male	Total	include federal funding.		Tourist Rooming	34	16
0-17	3,070	3,190	6,260	Clients		Pools		9
18-44	4,240	4,320	8,560	Costs		Restaurants		45
45-64	2,540	2,670	5,210	Eligible and		Vending		1
65+	1,730	1,350	3,090	Waiting	24	n/a		
Total	11,600	11,520	23,120	(Family Care not provided in county)		----- WIC PARTICIPANTS -----		
Poverty Estimates for 2000				Note: Eligible and waiting clients		Number		
Estimate (C.I.+/-)				will be phased into the COP and MA		Pregnant/Postpartum	135	
All ages	1,658	117		Waivers as available.		Infants	141	
	7.3%	( 7%)				Children, age 1-4	184	
Ages 0-17	498	57				Total	460	
	8.1%	(11%)				----- CANCER INCIDENCE -----		
----- EMPLOYMENT -----				Home Health Agencies		1999		
Average wage for jobs covered				Patients		Number		
by unemployment compensation				403		Primary Site		
Note: based on place of work				Patients per 10,000 pop.		Breast	19	
Annual				Nursing Homes		Cervical	2	
Labor Force Estimates				192		Colorectal	8	
Average				Occupancy rate		Trachea, Bronchus, Lung	12	
Civilian Labor Force				79.7%		Prostate	16	
Number employed				Residents on Dec.31		Other sites	30	
Number unemployed				146		Total	87	
Unemployment rate				Residents age 65 or older				
3.7%				per 1,000 population				
				45				

## NATALITY

NATALITY												
TOTAL LIVE BIRTHS			310	Birth Order		Births	Percent	Marital Status of Mother		Births	Percent	
Crude Live Birth Rate			13.4	First		122	39	Married		241	78	
General Fertility Rate			64.4	Second		106	34	Not married		69	22	
Live births with reported congenital anomalies			4	Third		54	17	Unknown		0	0	
				Fourth or higher		28	9					
				Unknown		0	0					
Delivery Type			Births	Percent	First Prenatal Visit		Births	Percent	Education of Mother		Births	Percent
Vaginal after previous cesarean			7	2	1st trimester		276	89	Elementary or less		2	1
Forceps			9	3	2nd trimester		26	8	Some high school		18	6
Other vaginal			223	72	3rd trimester		5	2	High school		90	29
Primary cesarean			45	15	No visits		2	1	Some college		105	34
Repeat cesarean			26	8	Unknown		1	<.5	College graduate		94	30
Other or unknown			0	0					Unknown		1	<.5
Birthweight			Births	Percent	Number of Prenatal Care visits		Births	Percent	Smoking Status of Mother		Births	Percent
<1,500 gm			6	1.9	No visits		2	1	Smoker		58	19
1,500-2,499 gm			15	4.8	1-4		6	2	Nonsmoker		252	81
2,500+ gm			289	93.2	5-9		75	24	Unknown		0	0
Unknown			0	0	10-12		143	46				
					13+		83	27				
					Unknown		1	<.5				
					Low Birthweight (under 2,500 gm)		1st Trimester		2nd Trimester		Other/Unknown	
Race of Mother			Births	Percent	Births		Percent	Births	Percent	Births		Percent
White			307	99	21		6.8	273	89	26		8
Black			0	0	.		.	.	.	.		.
Other			3	1	*		.	*	.	*		.
Unknown			0	0	.		.	.	.	.		.
					Low Birthweight (under 2,500 gm)		1st Trimester		2nd Trimester		Other/Unknown	
Age of Mother			Births	Fertility Rate	Births		Percent	Births	Percent	Births		Percent
<15			1	--	*		.	*	.	*		.
15-17			0	0	.		.	.	.	.		.
18-19			18	72	2		11.1	14	78	4		22
20-24			63	136	6		9.5	56	89	7		11
25-29			102	157	4		3.9	94	92	6		6
30-34			89	106	8		9.0	83	93	5		6
35-39			32	31	1		3.1	25	78	3		9
40+			5	5	.		.	4	80	.		.
Unknown			0	--	.		.	.	.	.		.
Teenage Births			19	23	* Not reported: age or race category has less than 5 births							

----- MORBIDITY -----			----- MORTALITY -----			
REPORTED* CASES OF SELECTED DISEASES			Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.			
Disease	Number		TOTAL DEATHS	213	Selected	
Campylobacter Enteritis	9		Crude Death Rate	920	Underlying Cause	Deaths Rate
Giardiasis	5				Heart Disease (total)	58 251
Hepatitis Type A	0				Ischemic heart disease	46 199
Hepatitis Type B**	0		Age	Deaths Rate	Cancer (total)	44 190
Hepatitis NANB/C	<5		1-4	.	Trachea/Bronchus/Lung	9 .
Legionnaire's	0		5-14	.	Colorectal	6 .
Lyme	5		15-19	1 .	Female Breast	4 .*
Measles	0		20-34	6 .	Cerebrovascular Disease	27 117
Meningitis, Aseptic	0		35-54	19 .	Lower Resp. Disease	12 .
Meningitis, Bacterial	0		55-64	20 1,066	Pneumonia & Influenza	9 .
Mumps	0		65-74	34 2,140	Accidents	16 .
Pertussis	0		75-84	65 5,834	Motor vehicle	13 .
Salmonellosis	<5		85+	66 17,344	Diabetes	4 .
Shigellosis	<5				Infectious & Parasitic	1 .
Tuberculosis	0				Suicide	3 .
* 2001 provisional data			Infant		* Rate for female breast cancer based on female population.	
** Includes all positive HBsAg test results			Mortality	Deaths Rate	ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH	
			Total Infant	2 .	Alcohol	2 .
			Neonatal	1 .	Other Drugs	3 .
			Postneonatal	1 .	Both Mentioned	. .
			Unknown	. .	----- MOTOR VEHICLE CRASHES -----	
Sexually Transmitted Disease			Race of Mother		Note: These data are based on location of crash, not on residence.	
Chlamydia Trachomatis	20		White	2 .	Type of Motor	Persons Persons
Genital Herpes	<5		Black	. .	Vehicle Crash	Injured Killed
Gonorrhea	<5		Other	. .	Total Crashes	234 15
Syphilis	0		Unknown	. .	Alcohol-Related	33 5
			Birthweight		With Citation:	
----- IMMUNIZATIONS -----			<1,500 gm	2 .	For OWI	18 0
Children in Grades K-12 by			1,500-2,499 gm	. .	For Speeding	7 0
Compliance Level			2,500+ gm	. .	Motorcyclist	13 2
Compliant	3,794		Unknown	. .	Bicyclist	0 0
Non-compliant	7		Perinatal		Pedestrian	0 0
Percent Compliant	99.8		Mortality	Deaths Rate		
			Total Perinatal	4 .		
			Neonatal	1 .		
			Fetal	3 .		

## HOSPITALIZATIONS

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Injury-Related: All						Alcohol-Related					
Total	221	9.5	4.6	\$14,262	\$136	Total	26	1.1	3.2	\$4,950	\$6
<18	18	.	.	.	.	18-44	13	.	.	.	.
18-44	53	6.2	3.5	\$12,358	\$77	45-64	12	.	.	.	.
45-64	45	8.6	5.6	\$16,913	\$146	Pneumonia and Influenza					
65+	105	34.0	5.2	\$15,422	\$525	Total	108	4.7	4.7	\$10,047	\$47
Injury: Hip Fracture						<18	21	3.4	3.5	\$7,975	\$27
Total	29	1.3	6.3	\$16,527	\$21	45-64	13	.	.	.	.
65+	26	8.4	6.4	\$16,673	\$141	65+	66	21.4	5.3	\$11,448	\$245
Injury: Poisonings						Cerebrovascular Disease					
Total	16	.	.	.	.	Total	72	3.1	4.6	\$14,030	\$44
18-44	11	.	.	.	.	45-64	19	.	.	.	.
Psychiatric						65+	52	16.9	3.7	\$8,891	\$150
Total	136	5.9	7.6	\$7,129	\$42	Chronic Obstructive Pulmonary Disease					
<18	28	4.5	10.3	\$8,188	\$37	Total	50	2.2	3.6	\$8,223	\$18
18-44	72	8.4	6.1	\$5,436	\$46	<18	6	.	.	.	.
45-64	22	4.2	8.0	\$8,355	\$35	18-44	4	.	.	.	.
65+	14	.	.	.	.	45-64	8	.	.	.	.
Coronary Heart Disease						65+	32	10.4	4.1	\$9,488	\$98
Total	121	5.2	3.6	\$16,625	\$87	Drug-Related					
45-64	40	7.7	2.5	\$16,520	\$127	Total	7	.	.	.	.
65+	76	24.6	4.2	\$16,303	\$402	18-44	5	.	.	.	.
Malignant Neoplasms (Cancers): All						Total Hospitalizations					
Total	69	3.0	4.4	\$13,518	\$40	Total	2,596	112.2	3.7	\$9,091	\$1,020
18-44	5	.	.	.	.	<18	520	83.0	3.2	\$4,891	\$406
45-64	21	4.0	6.2	\$19,135	\$77	18-44	703	82.1	2.8	\$6,217	\$511
65+	43	13.9	3.6	\$11,226	\$157	45-64	441	84.6	4.1	\$12,367	\$1,047
Neoplasms: Female Breast (rates for female population)						65+	932	302.2	4.5	\$12,052	\$3,642
Total	16	.	.	.	.	----- PREVENTABLE HOSPITALIZATIONS* -----					
Neoplasms: Colo-rectal						Total	314	13.6	3.8	\$8,267	\$112
Total	18	.	.	.	.	<18	47	7.5	2.0	\$4,110	\$31
65+	14	.	.	.	.	18-44	36	4.2	1.9	\$5,595	\$24
Neoplasms: Lung						45-64	47	9.0	4.1	\$9,908	\$89
Total	4	.	.	.	.	65+	184	59.7	4.5	\$9,432	\$563
Diabetes						* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2001 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.					
Total	30	1.3	5.3	\$13,176	\$17						
65+	12	.	.	.	.						